

# Safety Data Sheet according to GB/T 16483-2008

Page 1 of 6.

SDS No.: 411604 V001.1

Revision: 26.09.2011

Printing Date: 14.11.2011

# 1. Identification of the substance/preparation and of the company/undertaking

DORUS SL 3503 1200KG Product name: Intended use: woodworking adhesive

Company name:

DORUS SL 3503 1200KG

Henkel (China) Investment Co., Ltd.

No.928 Zhangheng Rd.

201203 Pudong, Shanghai, P.R.China

China

Phone: +86-21-2891 8000 +86-21-2891 5137 Fax-no.:

**Revision date:** 26.09.2011

**Emergency information:** Emergency telephone: +86 532 8388 9090 (24h).

### 2. Hazards identification

Classification of the substance or mixture according to GB 13690-2009 (General rule for classification and hazard communication of chemicals):

**Hazard Class Hazard Category Route of Exposure** Target Organ(s) Skin sensitizer Category 1B Skin contact

Label elements according to GB 15258-2009 (General rules for preparation of precautionary label for chemicals):

Pictogram:



Signal word: Warning

**Hazard statement:** H317 May cause an allergic skin reaction.

**Precautionary statement** 

(Prevention):

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement

(Response):

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

**Precautionary statement** 

(Storage):

No information according to GHS.

**Precautionary statement** 

(Disposal):

No information according to GHS.

V001.1

## 3. Composition / information on ingredients

**General description:** Aqueous emulsion of:

### Declaration of the ingredients according to GB 13690-2009:

Hazard component CAS-No.	Concentration range	GHS Classification
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-methyl-,	< 30 PPM	Acute toxicity 3; Inhalation
mixt. with 2-methyl-3(2H)-isothiazolone		H331
55965-84-9		Acute toxicity 3; Dermal
		H311
		Acute toxicity 3; Oral
		H301
		Skin corrosion 1B
		H314
		Skin sensitizer 1
		H317
		Acute hazards to the aquatic environment 1
		H400
		Chronic hazards to the aquatic environment 1
		H410

Only hazardous ingredients for which a classification according to GB 13690-2009 is already available are displayed in this table. For full text of the Hazard statements see section 16 "Other information".

### 4. First aid measures

**Skin contact:** Rinse with running water and soap. Apply replenishing cream. Change all contaminated

clothing. If necessary, see a dermatologist.

Eye contact: Rinse immediately with plenty of running water (for 10 minutes), seek medical attention

from a specialist.

**Inhalation:** Move to fresh air.

Keep warm and in a quiet place.

Administer oxygen or artificial respiration as needed.

Seek medical attention from a specialist.

**Ingestion:** Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

### 5. Fire fighting measures

**Hazardous characteristics:** Non-combustible.

Hazardous combustion products: carbon monoxide

Carbon dioxide Irritating vapors. Toxic chlorides.

**Extinguishing media:** Foam, extinguishing powder, carbon dioxide.

Fine water spray

Notice and measures for firing

fighting:

Keep unnecessary personnel away.

Wear full protective clothing.

Wear self-contained breathing apparatus.

# 6. Accidental release measures

**Emergency measures:** Danger of slipping on spilled product.

Keep unprotected persons away. Avoid skin and eye contact. Wear protective equipment.

If vapors are generated, wear suitable respiratory equipment.

V001.1

Clean-up methods: Do not empty into drains / surface water / ground water.

Remove with liquid-absorbing material (sand, peat, sawdust). Dispose of contaminated material as waste according to Chapter 13.

## 7. Handling and storage

Notice for handling: Ensure good ventilation/suction at the workplace.

Wear suitable protective clothing, safety glasses and gloves.

Avoid skin and eye contact. Keep out of the reach of children. When using do not eat, drink or smoke.

See advice in chapter 8

Notice for storage: 6 months

Ensure that storage and workrooms are adequately ventilated.

Keep container tightly sealed. Store in a cool, dry place.

Keep away from heat and direct sunlight. Isolate from incompatible substances. Temperatures between + 5 °C and + 35 °C

# 8. Exposure controls / personal protection

Hazardous components	GBZ 2.1-2007	ACGIH	NIOSH	OSHA
Mixture, 3(2H)-Isothiazolone, 5-chloro-2-	none	none		none
methyl-, mixt. with 2-methyl-3(2H)-				
isothiazolone				

**Engineering controls:** Ensure good ventilation/extraction.

Suitable breathing mask when there is inadequate ventilation. Respiratory protection:

**Eye protection:** Safety glasses with sideshields or chemical safety goggles should be worn if there is a risk

of splashing.

**Body protection:** Wear suitable protective clothing.

Protective clothing that covers arms and legs.

Hand protection: Chemical-resistant protective gloves (EN 374). Suitable materials for short-term contact or

splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): Isobutylene-isoprene rubber (IIR; >= 0.7 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6,

corresponding to > 480 minutes permeation time as per EN 374): Isobutylene-isoprene rubber (IIR; >= 0.7 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear

and tear are noticed then the gloves should be replaced.

Other protection: The selection of PPE shall at least compliant with "Law of the People's Republic of China on Prevention and Control of Occupational Diseases" and "Code of practice for selection

of personal protective equipments" (GB/T 11651-2008).

Pictograms for recommended PPE:



MSDS-No.: 411604 DORUS SL 3503 1200KG Page 4 of 6.

V001.1

## 9. Physical and chemical properties

Physical state: liquid Appearance: Milky white liquid pH: 7 Melting point: Not available.

Boiling point: 100 °C (212 °F) Density: 1,17 g/cm3
Flash point: Not available. Ignition temperature: Not available.
Solubility: Disperses in water as emulsion Viscosity: 6.000 - 8.000 mPa.s

(Solvent: Water)

## 10. Stability and reactivity

**Conditions to avoid:** Excessive heat.

Store away from incompatible materials.

Incompatible products: Strong oxidizers, peroxides, acids, alkalis.

Amines. alkalis

**Decomposition products:** No decomposition if used according to specifications.

# 11. Toxicological information

#### Oral toxicity:

No information available.

#### **Skin irritation:**

May cause sensitization by skin contact.

### Other remarks:

Not available.

### 12. Ecological information

### General ecological information:

Do not empty into drains, soil or bodies of water.

# Persistence and degradability:

# Ultimate biodegradation:

Not available.

#### **Bioaccumulative potential:**

No data available.

#### Other adverse effects:

Not available.

# Bioaccumulative potential / Mobility in soil:

Hazardous components CAS-No.	LogKow	Bioconcentration factor (BCF)	Exposure time	Species	Temperature	Method
Mixture, 3(2H)-Isothiazolone,	-0,71 -				20 °C	OECD Guideline 117
5-chloro-2-methyl-, mixt. with	0,75					(Partition Coefficient (n-
2-methyl-3(2H)-isothiazolone						octanol / water), HPLC
55965-84-9						Method)

MSDS-No.: 411604 DORUS SL 3503 1200KG Page 5 of 6.

V001.1

#### 13. Disposal considerations

**Product disposal:** If the waste is classified as hazardous waste according to GB 5085.7-2007 (Identification

standards for hazardous wastes, General Specifications). Dispose of as hazardous waste in compliance with "Regulation on the Safety Management of Hazardous Chemicals", "Law of the People's Republic of China on the prevention and control of Environmental

Pollution by Solid Waste", "National Catalogue of Hazardous Waste".

List in National Hazardous Waste Catalogue.

Dispose of as hazardous waste in compliance with local and national regulations.

Do not empty into drains / surface water / ground water.

**Disposal of uncleaned packages:** Dispose of as unused product.

Dispose of in accordance with local and national regulations.

# 14. Transport information

#### **General information:**

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

Notice For Transportation: Transport according to local and national regulations. Ensure

containers will not leak, collapse, or being damaged when transported. DO NOT transport with incompatible materials. Transportation vehicle should be equipped with right fire-fighting equipment in case of emergency. Avoid solarization, drenched and high temperature when

transported.

#### 15. Regulations - classification and identification

The following laws and regulations lay down provisions in terms of chemicals safety use, storage, transportation, loading/unloading, classification as well as symbol.

"Law of the People's Republic of China on Work Safety" (Adopted by the 28th meeting of 9th NPC standing committee on 29th June 2002).

"Law of the People's Republic of China on the Prevention and Treatment of Occupational Diseases" (Adopted by the 24th meeting of 9th NPC standing committee on 27th October 2001).

"Law of the People's Republic of China on environmental protection" (Adopted by 11st meeting of 7th NPC standing committee on 26th December 1989).

"Regulation on the Safety Management of Hazardous Chemicals" (Adopted by 144th State Council executive meeting on 16th February 2011).

"Regulations on License to Work Safety" (Adopted by 34th State Council executive meeting on 7th January 2004).

**China Inventory of Existing** 

Chemicals:

Compliance with RoHS.

All components are listed or are exempt from Inventory of Existing Chemical Substances in

China.

## 16. Other information

**Issue date:** 14.11.2011

Issue department: Kathlin Jiang, Product Safety & Regulatory Affairs Specialist for Greater China

MSDS-No.: 411604 DORUS SL 3503 1200KG Page 6 of 6 . V001.1

Disclaimer:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Others:

The full text of all abbreviations indicated by codes in this safety data sheet section 3 are as follows:

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.